

## Tag Mappings

---

```
<:/loop>
</ss:foreach>
```

```
<::/exclude>
</ss:if>
```

```
<::about>
<ss:link source="$templateSet.aboutUs">About Us</ss:link>
```

```
<::cart>
<ss:link source="$templateSet.cart">Shopping Cart</ss:link>
```

```
<::cartcontents>
```

1: Standard usage

```
<ss:if test="$cart.details">
  <ss:foreach item="detail" within="$cart.details">
    <ss:value source="$detail.product.name" /><br>
  </ss:foreach>
<ss:else/>
  Empty
</ss:if>
```

2: When the "maxlength" attribute is used

```
<ss:foreach item="detail" within="$cart.details">
  <ss:value source="$detail.product.name"
    maxlength="Integer" /><br>
</ss:foreach>
```

```
<::catalog>
<ss:link source="$templateSet.catalog">Catalog</ss:link>
```

```
<::catalogmbr>
```

1: Text Only

```
<ss:link source="$templateSet.searchMembersOnly">
  Members Only Catalog
</ss:link>
```

2: Image

```
<ss:link source="$templateSet.searchMembersOnly">
  <ss:image source="$templateSet.images['members.gif']"
    border="0" align="bottom" />
</ss:link>
```

```
<::category=CATEGORY>
$url.searchlink('category=CATEGORY')
```

```
<::checkout>
<ss:link source="$templateSet.checkout">Checkout</ss:link>
```

```
<::customtext type="TYPE">
<ss:value source="templateSet.customText['TYPE']" />
```

```
<::date>
<ss:value source="$system.currentDate" format="date.short" />
```

```
<::datelong>
<ss:value source="$system.currentDate" format="date.long" />
```

```
<::day>
<ss:value source="$system.currentDate" format="day"/>

<::daysto>
<ss:value source="$system.daysTill('DATE')"/>

<::daystochristmas>
<ss:value source="$system.daysTill('Christmas')"/>

<::download>
<ss:link source="$templateSet.downloadList">
  Download Files
</ss:link>

<::else>
<ss:else/>

<::emptycart>
<ss:link source="$templateSet.cartEmpty">
  Empty Cart
</ss:link>

<::endif>
</ss:if>

<::endloop>
</ss:foreach>

<::exclude>
<ss:if test="$store.storeType != 'STORETYPE'">

<::featuredproduct name="OPTION">
<ss:value source="$store.featuredProduct.OPTION"/>

<::fontcolor type="FONTTYPE">
<ss:font color="$font.FONTTYPE">

<::fontface type="FONTTYPE">
<ss:font face="$font.FONTTYPE">

<::fontsize type="FONTTYPE">
<ss:font size="$font.FONTTYPE">

<::goback>
<ss:link shortcut="goback"/>

<::if <::test=CONDITION>>
<ss:if test="CONDITION">

<::if <:hasdownloads>>
<ss:if test="$invoice.hasDownloads">

<::if <:isbrowserversion type="VERSION">>
$browser.VERSION

<::if <:isfeaturedproduct>>
<ss:if test="$store.featuredProduct">

<::if <:ismember>>
<ss:if test="$customer.isLoggedIn()">
```

```

<::if <:ispaymentmethod>>
<ss:if test="$invoice.paymentMethod == PAYMENTMETHOD">

<::if <:ispaymentmethodworldpay>>
<ss:if test="$invoice.paymentMethodCode == WorldPay">

<::if <:issubscription>>
<ss:if test="$product.subscriptionEnabled">

<::if <:issubscriptionrequired>>
<ss:if test="$store.membersOnlySubscriptionRequired">

<::if <:isworldpayfixcontact>>
<ss:if test="$worldpay.isFixContact">

<::if <:isworldpaytestmode>>
<ss:if test="$worldpay.isTestMode">

<::include file=FILE>
<ss:include source="$store.files['FILE']"/>

<::include template="TEMPLATE">
<ss:include template="TEMPLATE"/>

<::join>
1: Image
<ss:image source="$templateSet.images['join.gif']"
border="0" align="bottom"/>
2: Text
<ss:link source="$templateSet.subscribe">Join Now</ss:link>

<::languageoverride>
<ss:form shortcut="LanguageOverride"/>

<::logoff>
<ss:link source="$templateSet.logoff">Logoff</ss:link>

<::logon>
<ss:link source="$templateSet.logon">Logon</ss:link>

<::loop=category>
<ss:foreach item="category" within="$catalog.categoriesToDepth(4)">

<::member>
<ss:value source="$customer.fullName"/>

<::membercompany>
<ss:value source="$customer.company"/>

<::memberfirst>
<ss:value source="$customer.firstName"/>

<::memberlast>
<ss:value source="$customer.lastName"/>

<::month>
<ss:value source="$system.currentDate" format="month"/>

```

```

<::oem=MANUFACTURER>
$url.searchLink('oem=MANUFACTURER')

<::policy>
<ss:link source="$templateSet.storePolicies">Policies</ss:link>

<::product=PRODUCTNUMBER>
<ss:link source="$url.buildFullUrlWithParameter('Detail','no','PRODUCTNUMBER')">
  Text
</ss:link>

<::register>
1: Text
<ss:image source="$templateSet.images['register.gif']"
  border="0" align="bottom"/>
2: Image
<ss:link source="$templateSet.customerRegistration">
  Register
</ss:link>

<::service>
<ss:link source="$templateSet.customerService">
  Customer Service
</ss:link>

<::servicehistory>
<ss:link source="$templateSet.customerHistory">
  Account History
</ss:link>

<::servicelost>
<ss:link source="$templateSet.lostPassword">
  Lost Passwords
</ss:link>

<::store>
<ss:link source="$templateSet.homePage">Home</ss:link>

<::storebillboard>
1: Link
<ss:link shortcut="$store">
  <ss:image source="$store.getBillboard()" alt="$store.name" border="0"/>
</ss:link>
2: Image only
<ss:image source="$store.billboard"/>

<::storecity>
<ss:value source="$store.city"/>

<::storecountry>
<ss:value source="$store.country"/>

<::storedescription>
<ss:value source="$store.description"/>

<::storeemail>
<ss:value source="$store.email"/>

```

```
<::storefax>
<ss:value source="$store.fax"/>

<::storeimages>
$store.Images

<::storelogo>
<ss:if test="$store.isFeatureEnabled('storeLogo')">
  <ss:image source="$store.storeLogo"/>
</ss:if>

<::storename>
<ss:value source="$store.name"/>

<::storepage=FILE>
$url.pageFile('FILE')

<::storepage>FILE
$url.pageFile('FILE')

<::storepath>
$url.storePath

<::storephone>
<ss:value source="$store.phone"/>

<::storescript=SCRIPT>
$url.buildUrl('SCRIPT')

<::storescriptprefix>
$system.prefix

<::storescripts>
$url.basePath

<::storescriptsuffix>
$system.suffix

<::storestate>
<ss:value source="$store.state"/>

<::storestreet>
<ss:value source="$store.street"/>

<::storetemplate=TEMPLATE>
$url.buildUrlWithQueryString('Page', 'template=TEMPLATE')

<::storeurl>
<ss:value source="$store.url"/>

<::storezip>
<ss:value source="$store.postalCode"/>

<::time24>
<ss:value source="$system.currentDate" format="time24"/>

<::time>
<ss:value source="$system.currentDate" format="time.short"/>
```

```
<::year>
<ss:value source="$system.currentDate" format="year"/>
```

```
<:addtocart image>
<ss:if test="$product.type == ProductType.LEAD">
  <ss:link shortcut="lead"/>
<ss:else/>
  <ss:include template="cartadd"/>
</ss:if>
```

```
<:addtocart template=TEMPLATE>
<ss:if test="$product.type == ProductType.LEAD">
  <ss:link shortcut="lead"/>
<ss:else/>
  <ss:include template="TEMPLATE"/>
</ss:if>
```

```
<:addtocart>
<ss:if test="$product.type == ProductType.LEAD">
  <ss:link shortcut="lead"/>
<ss:else/>
  <ss:include template="cartadd"/>
</ss:if>
```

```
<:affiliate>
```

1: Form Field

```
<ss:edit source="$affiliate.name" size="40"/>
```

2: Affiliate Templates

```
<ss:value source="$affiliate.name"/>
```

3: Invoice Templates

```
<ss:value source="$invoice.affiliate.name"/>
```

```
<:affiliatecity>
```

1: Form Field

```
<ss:edit source="$affiliate.city" size="20"/>
```

2: Display Value

```
<ss:value source="$affiliate.city"/>
```

```
<:affiliatecontact>
```

1: Form Field

```
<ss:edit source="$affiliate.contact" size="40"/>
```

2: Display Value

```
<ss:value source="$affiliate.contact"/>
```

```
<:affiliatecountry>
```

1: Form Field

```
<ss:edit source="$affiliate.country" size="40"/>
```

2: Display Value

```
<ss:value source="$affiliate.country"/>
```

```
<:affiliateemail>
```

1: Form Field

```
<ss:edit source="$affiliate.email" size="40"/>
```

2: Display Value

```
<ss:value source="$affiliate.email"/>
```

```
<:affiliatefax>
```

1: Form Field

```
<ss:edit source="$affiliate.fax" size="20"/>
```

2: Display Value

```
<ss:value source="$affiliate.fax"/>
```

```
<:affiliateid>
```

```
<ss:value source="$invoice.affiliate.affiliateNumber"/>
```

```
<:affiliateno>
```

```
<ss:value source="$invoice.affiliate.affiliateNumber"/>
```

```
<:affiliatephone>
```

1: Form Field

```
<ss:edit source="$affiliate.phone" size="20"/>
```

2: Display Value

```
<ss:value source="$affiliate.phone"/>
```

```
<:affiliateresale>
```

1: Display Value

```
<ss:value source="$affiliate.resale"/>
```

2: Form Field

```
<ss:edit source="$affiliate.resale" size="20"/>
```

```
<:affiliatestate>
```

1: Form Field

```
<ss:edit source="$affiliate.state" size="10"/>
```

2: Display Value

```
<ss:value source="$affiliate.state"/>
```

```
<:affiliatestreet1>
```

1: Form Field

```
<ss:edit source="$affiliate.street1" size="30"/>
```

2: Display Value

```
<ss:value source="$affiliate.street1"/>
```

```
<:affiliatestreet2>
```

1: Form Field

```
<ss:edit source="$affiliate.street2" size="30"/>
```

2: Display Value

```
<ss:value source="$affiliate.street2"/>
```

```
<:affiliatestreet>
```

1: Form Field

```
<ss:edit source="$affiliate.street" size="30"/>
```

2: Display Value

```
<ss:value source="$affiliate.street"/>
```

<:affiliateurl>

1: Form Field

```
<ss:edit source="$affiliate.url" size="40"/>
```

2: Display Value

```
<ss:value source="$affiliate.url"/>
```

<:affiliatezip>

1: Form Field

```
<ss:edit source="$affiliate.postalCode" size="10"/>
```

2: Display Value

```
<ss:value source="$affiliate.postalCode"/>
```

<:billingoption>

```
<ss:foreach item="paymentMethod"
  within="$store.activePaymentMethods
  ($cart.hasSubscriptionProducts())">
<tr>
<td colspan="2">
  <ss:radio name="PaymentMethodCode"
    value="$paymentMethod.paymentMethodCode"
    checked="$paymentMethod.isBillingDefault()"/>
  <ss:value source="$paymentMethod.name"/></td>
</tr>
<tr>
<td width="20"></td>
<td>
  <table border="0" cellpadding="2" cellspacing="2">
    <ss:foreach item="paymentParameter"
      within="$paymentMethod.paymentParameters($browser)">
      <ss:if test="$paymentMethod.name == 'Credit Card'">
        <ss:if test="$paymentParameter.name == 'CreditCardExpMM'">
          <tr align="left" valign="top">
            <td><ss:value source="$paymentParameter.displayText"/></td>
            <td><ss:value source="$paymentParameter.displayFormField()"/>
          <ss:else/>
            <ss:if test="$paymentParameter.name == 'CreditCardExpYY'">
              <ss:value source="$paymentParameter.displayFormField()"/>
            </td>
          </tr>
        <ss:else/>
          <tr align="left" valign="top">
            <td><ss:value source="$paymentParameter.displayText"/></td>
            <td><ss:value source="$paymentParameter.
              displayFormField()"/></td>
          </tr>
        </ss:if>
      </ss:if>
    <ss:else/>
      <tr align="left" valign="top">
        <td><ss:value source="$paymentParameter.displayText"/></td>
        <td><ss:value source="$paymentParameter.
          displayFormField()"/></td>
      </tr>
    </ss:if>
  </ss:foreach>
</table>
```

```
</td>
</tr>
</ss:foreach>

<:billnew>
<ss:checkbox shortcut="ChangeBilling" />

<:buyit>
<ss:link shortcut="BuyIt" />

<:buyitnow>
<ss:link shortcut="BuyItNow" />

<:cancel>
<input type="submit" name="cancel" value="Cancel">

<:canceldate>
<ss:value source="$subscription.cancelDate" format="date.short" />

<:cartcheckbox>
<ss:if test="$product.attributes">
<ss:else/>
  <ss:checkbox name="cartchk" value="$product.getUrl()" />
</ss:if>

<:cartcolor>
<ss:if test="$product.hasColors()">
  <ss:select source="$product.colors" name="color" />
</ss:if>

<:cartcolortitle>
<ss:if test="$product.hasColors()">Color</ss:if>

<:cartcustom1>
<ss:if test="$product.customService1Title">
  <input type="text" name="custom1" maxlength="50" size="20" />
</ss:if>

<:cartcustom1fee>
<ss:if test="$product.customService1Title">
  <ss:value source="$product.customService1Fee" />
</ss:if>

<:cartcustom1title>
<ss:if test="$product.customService2Title">
  <ss:value source="$product.customService1Title" />
</ss:if>

<:cartcustom2>
<ss:if test="$product.customService2Title">
  <input type="text" name="custom2" maxlength="50" size="20" />
</ss:if>

<:cartcustom2fee>
<ss:if test="$product.customService2Title">
  <ss:value source="$product.customService2Fee" />
</ss:if>

<:cartcustom2title>
<ss:if test="$product.customService2Title">
  <ss:value source="$product.customService2Title" />
</ss:if>
```

```

<:cartend>
</ss:form>

<:cartname>
1: Form Field
<input type="text" name="cartname" size="30" maxlength="30">
2: Display Value
<ss:value source="$cart.name"/>

<:cartqty>
<input type="text" name="qty" value="1" size="3">

<:cartreset>
<input type="reset" value="Clear">

<:cartsave image>
<ss:if test="$customer.isLoggedIn() AND $cart.details">
  <ss:link source="$templateSet.cartSave">
    <ss:image source="$store.images['cartsave.gif']" border="0" align="bottom"/>
  </ss:link>
</ss:if>

<:cartsave>
<ss:if test="$customer.isLoggedIn() AND $cart.details">
  <ss:link source="$templateSet.cartSave">
    Save Cart
  </ss:link>
</ss:if>

<:cartselect image>
<ss:if test="$customer.hasSavedCarts">
  <ss:link source="$templateSet.cartSelect">
    <ss:image source="$store.images['cartsel.gif']"
      border="0" align="bottom"/>
  </ss:link>
</ss:if>

<:cartselect>
1: Radio Button
<ss:radio name="cartid" value="$cart.cartNumber"/>
2: Link
<ss:if test="$customer.hasSavedCarts">
  <ss:link source="$templateSet.cartSelect">
    Select Cart
  </ss:link>
</ss:if>

<:cartsize>
<ss:if test="$product.hasSizes(">
  <ss:select source="$product.sizes" name="size"/>
</ss:if>

<:cartsizetitle>
<ss:if test="$product.hasSizes(">Size</ss:if>

<:cartstart>
<ss:form shortcut="CartStart">

<:cartsubmit>

```

```

<input type="submit" value="Add To Shopping Cart">

<:category nosub>
<ss:select name="category" source="$catalog.categoriesToDepth(0)">
  <option value="all" selected>All</option>
</ss:select>

<:category>
<ss:value source="$listing.name" />

<:category>
1: Storefront template, to display a list of all categories in the store
<ss:link source="$category">
  <ss:if test="$category.treeLevel == "1" ">
    <ss:value source="$category.name" />
  <ss:else/>
    <ss:value source="$category.name" />
  </ss:if>
</ss:link>
2: Catalog templates, to display a list of categories
<ss:select name="category" source="$catalog.categoryList">
  <option value="all" selected>All</option>
</ss:select>
3: Within a <ss:foreach item="listing"> tag, displays the category name
<ss:value source="$listing.name" />

<:categorydesc>
<ss:value source="$category.description" />

<:categoryphoto ALIGN>
<ss:image source="$listing.category.photoImage"
  border="0" align="ALIGN" />

<:categoryphoto>
<ss:image source="$listing.category.photoImage" border="0" />

<:change name=chgbilling>
<ss:form shortcut="ChangeSubscriptionBilling" />

<:change name=chgshipto>
<ss:form shortcut="ChangeSubscriptionShipTo" />

<:change>
<ss:button source="$templateSet.images['change.gif']" border=0 />

<:checkout>
<ss:form shortcut="Checkout" />

<:checkoutpro>
<ss:form shortcut="CheckoutPro" />

<:city>
1: Display Value, customer templates
<ss:value source="$customer.city" />
2: Form Field, customer templates
<ss:edit source="$customer.city" size="20" />

```

3: Form Field, invoice templates

```
<ss:edit source="$address.city" size="20"/>
```

4: Display Value, lead templates

```
<ss:value source="$lead.City"/>
```

5: Form Field, lead templates

```
<ss:edit source="$lead.City" size="20"/>
```

<:company>

1: Display Value, customer templates

```
<ss:value source="$customer.company"/>
```

2: Form Field, customer templates

```
<ss:edit source="$customer.company" size="30"/>
```

3: Form Field, lead templates

```
<ss:edit source="$lead.company" size="30"/>
```

4: Display Value, lead templates

```
<ss:value source="$lead.company"/>
```

5: Display Value, credit templates

```
<ss:value source="$credit.customer.company"/>
```

<:country>

1: Display Value, customer templates

```
<ss:value source="$customer.country"/>
```

2: Form Field, lead templates

```
<ss:edit source="lead.country" size="30"/>
```

3: Display Value, lead templates

```
<ss:value source="lead.country"/>
```

4: Form Field, customer templates

```
<ss:edit source="$customer.country" size="30"/>
```

5: Form Field, shipping templates

```
<ss:edit source="address.country" size="30"/>
```

<:countrylist>

1: Lead templates

```
<ss:select source="$system.countries" name="$lead.country"
  selected="$store.country"/>
```

2: Invoice templates

```
<ss:select source="$system.countries" name="$address.country"
  selected="$address.country"/>
```

3: Customer templates

```
<ss:select source="$system.countries" name="$customer.country"
  selected="$store.country"/>
```

<:credit>

```
<ss:value source="$customer.storeCredit"/>
```

<:creditdate>

<ss:value source="\$credit.enterDate" format="date.short"/>

<:creditmethod>

<ss:value source="\$credit.paymentMethod"/>

<:creditno>

<ss:value source="\$credit.creditNumber"/>

<:creditnote>

<ss:value source="\$credit.note"/>

<:creditsalestax>

<ss:value source="\$credit.tax"/>

<:creditshipping>

<ss:value source="\$credit.shipping"/>

<:creditsubtotal>

<ss:value source="\$credit.subtotal"/>

<:credittotal>

<ss:value source="\$credit.total"/>

<:currentextension>

<ss:value source="\$extension.currentIndex"/>

<:custcity>

1: Display Value, subscription templates

<ss:value source="\$subscription.billToCity"/>

2: Display Value, supplier templates

<ss:value source="\$edi.customer.city"/>

3: Display Value, customer templates

<ss:value source="\$customer.city"/>

4: Display Value, credit templates

<ss:value source="\$credit.customer.city"/>

5: Display Value, invoice templates

<ss:value source="\$invoice.billToCity"/>

<:custcompany>

1: Display Value, supplier templates

<ss:value source="\$edi.customer.company"/>

2: Form Field, customer templates

<ss:edit source="\$customer.company" size="30"/>

3: Display Value, customer templates

<ss:value source="\$customer.company"/>

4: Display Value, invoice templates

<ss:value source="\$invoice.customer.company"/>

<:custcountry option=full>

1: Display Value, customer templates

```
<ss:value source="$customer.countryName"/>
2: Display Value, subscription templates
<ss:value source="$subscription.billToCountry"/>
3: Display Value, credit templates
<ss:value source="$credit.customer.country"/>
4: Display Value, invoice templates
<ss:value source="$invoice.shipToCountry"/>

<:custcountry>
1: Display Value, subscription templates
<ss:value source="$subscription.billToCountry"/>
2: Display Value, supplier templates
<ss:value source="$edi.customer.country"/>
3: Display Value, customer templates
<ss:value source="$customer.country"/>

<:custcredit>
<ss:value source="$customer.storeCredit"/>

<:custcreditcard>
<ss:value source="$customer.creditCardCode"/>

<:custcreditcardexp>
<ss:value source="$customer.creditCardExpiration"/>

<:custcreditcardnumber>
<ss:value source="$customer.creditCardNumber"/>

<:custcustom1>
1: Display Value, customer templates
<ss:value source="$customer.customText1"/>
2: Form Field, customer templates
<ss:edit source="$customer.customText1" size="30"/>
3: Display Value, supplier templates
<ss:value source="$edi.customer.customText1"/>

<:custcustom2>
1: Display Value, customer templates
<ss:value source="$customer.customText2"/>
2: Form Field, customer templates
<ss:edit source="$customer.customText2" size="30"/>
3: Display Value, supplier templates
<ss:value source="$edi.customer.customText2"/>

<:custcustom3>
1: Display Value, customer templates
<ss:value source="$customer.customText3"/>
```

2: Form Field, customer templates  
<ss:edit source="\$customer.customText3" size="30"/>

3: Display Value, supplier templates  
<ss:value source="\$edi.customer.customText3"/>

<:custcustom4>

1: Display Value, customer templates  
<ss:value source="\$customer.customText4"/>

2: Form Field, customer templates  
<ss:edit source="\$customer.customText4" size="30"/>

3: Display Value, supplier templates  
<ss:value source="\$edi.customer.customText4"/>

<:custcustom5>

1: Display Value, customer templates  
<ss:value source="\$customer.customText5"/>

2: Form Field, customer templates  
<ss:edit source="\$customer.customText5" size="30"/>

3: Display Value, supplier templates  
<ss:value source="\$edi.customer.customText5"/>

<:custcustom6>

1: Display Value, customer templates  
<ss:value source="\$customer.custom6"/>

2: Form Field, customer templates  
<ss:edit source="\$customer.customText6" size="30"/>

3: Display Value, supplier templates  
<ss:value source="\$edi.customer.customText6"/>

<:custcustom7>

1: Display Value, customer templates  
<ss:value source="\$customer.custom7"/>

2: Form Field, customer templates  
<ss:edit source="\$customer.customText7" size="30"/>

3: Display Value, supplier templates  
<ss:value source="\$edi.customer.customText7"/>

<:custcustom8>

1: Display Value, customer templates  
<ss:value source="\$customer.custom8"/>

2: Form Field, customer templates  
<ss:edit source="\$customer.customText8" size="30"/>

3: Display Value, supplier templates  
<ss:value source="\$edi.customer.customText8"/>

```

<:custemail2>
<ss:value source="$customer.email2"/>

<:custemail>
1: Display Value, customer templates
<ss:value source="$customer.email"/>
2: Form field, e-mail a friend templates
<ss:edit source="$email.senderEmail"/>

<:custfax2>
<ss:value source="$customer.workFax"/>

<:custfax>
<ss:value source="$customer.homeFax"/>

<:custfirstname>
<ss:value source="$customer.firstName"/>

<:custlastname>
<ss:value source="$customer.lastName"/>

<:custname>
1: Form Field, e-mail a friend templates
<ss:edit source="$email.senderName"/>
2: Display Value, customer templates
<ss:value source="$credit.customer.fullName"/>
3: Link, history templates
<ss:link source="$customer">
  <ss:value source="$customer.fullName"/>
</ss:link>
4: Display Value, customer templates
<ss:value source="$customer.fullName"/>
5: Display Value, subscription templates
<ss:value source="$subscription.customer.fullname"/>
6: Display Value, supplier templates
<ss:value source="$edi.customer.fullName"/>
7: Display value, credit templates
<ss:value source="$credit.customer.fullName"/>
8: Display value, invoice templates
<ss:value source="$invoice.customer.fullName"/>

<:custno>
1: Display Value, customer templates
<ss:value source="$customer.customerNumberFull"/>
2: Display Value, supplier templates
<ss:value source="$edi.customer.customerNumberFull"/>

<:custnotify>
<ss:value source="$customer.notify" format="yesno"/>

```

```
<:custom1>
<ss:edit name="custom1" source="$catalog.custom1" size="30"/>

<:custom2>
<ss:edit name="custom2" source="$catalog.custom2" size="30"/>

<:custom3>
<ss:edit name="custom3" source="$catalog.custom3" size="30"/>

<:custom4>
<ss:edit name="custom4" source="$catalog.custom4" size="30"/>

<:custpager>
<ss:value source="$customer.pager"/>

<:custphone2>
1: Display Value, customer templates
<ss:value source="$customer.workPhone"/>
2: Display Value, invoice templates
<ss:value source="$invoice.customer.workPhone"/>

<:custphone3>
1: Display Value, customer templates
<ss:value source="$customer.mobilePhone"/>
2: Display Value, invoice templates
<ss:value source="$invoice.customer.mobilePhone"/>

<:custphone>
1: Display Value, customer templates
<ss:value source="$customer.homePhone"/>
2: Display Value, invoice templates
<ss:value source="$invoice.customer.homePhone"/>

<:custresale>
<ss:value source="$customer.resale"/>

<:custshipcity>
<ss:value source="$invoice.shipToCity"/>

<:custshipcountry>
<ss:value source="$invoice.shipToCountry"/>

<:custshipname>
<ss:value source="$invoice.recipient"/>

<:custshipstate>
<ss:value source="$invoice.shipToState"/>

<:custshipstreet>
<ss:value source="$invoice.shipToStreet"/>

<:custshipzip>
<ss:value source="$invoice.shipToPostalCode"/>
```

```
<:custsince>
<ss:value source="$customer.customerSince" format="yyyy"/>
```

```
<:custstate>
```

1: Display Value, supplier templates

```
<ss:value source="$edi.customer.state"/>
```

2: Display Value, customer templates

```
<ss:value source="$customer.state"/>
```

3: Display Value, subscription templates

```
<ss:value source="$subscription.billToState"/>
```

4: Display value, credit templates

```
<ss:value source="$credit.customer.state"/>
```

5: Display value, invoice templates

```
<ss:value source="$invoice.billToState"/>
```

```
<:custstreet1>
```

1: Display Value, customer templates

```
<ss:value source="$customer.street"/>
```

2: Display Value, credit templates

```
<ss:value source="$credit.customer.street1"/>
```

```
<:custstreet2>
```

1: Display Value, supplier templates

```
<ss:value source="$edi.customer.street2"/>
```

2: Display Value, customer templates

```
<ss:value source="$customer.street2"/>
```

3: Display value, credit templates

```
<ss:value source="$credit.customer.street2"/>
```

4: Display value, subscription templates

```
<ss:value source="$subscription.billToStreet2"/>
```

```
<:custstreet>
```

1: Subscription templates

```
<ss:value source="$subscription.billToStreet"/>
```

```
<ss:if test="$subscription.billToStreet2">
```

```
  <br><ss:value source="$subscription.street2"/>
```

```
</ss:if>
```

2: Supplier templates

```
<ss:value source="$edi.customer.street"/>
```

```
<ss:if test="$edi.customer.street">
```

```
  <br><ss:value source="$edi.customer.street"/>
```

```
</ss:if>
```

3: Customer templates

```
<ss:value source="$customer.street"/>
```

```
<ss:if test="$customer.street2">
```

```
  <br><ss:value source="$customer.street2"/>
```

```
</ss:if>
```

4: Credit templates

```
<ss:value source="$credit.customer.street"/>
<ss:if test="$credit.customer.street2">
  <br><ss:value source="$credit.customer.street2"/>
</ss:if>
```

#### 5: Invoice templates

```
<ss:value source="$invoice.billToStreet"/>
<ss:if test="$invoice.billToStreet2">
  <br><ss:value source="$invoice.billToStreet2"/>
</ss:if>
```

```
<:custtext1>
<ss:edit source="$extension.extensionText1" size="40"/>
```

```
<:custtext2>
<ss:edit source="$extension.extensionText2" size="40"/>
```

```
<:custtext3>
<ss:edit source="$extension.extensionText3" size="40"/>
```

```
<:custtext4>
<ss:edit source="$extension.extensionText4" size="40"/>
```

```
<:custtext5>
<ss:edit source="$extension.extensionText5" size="40"/>
```

```
<:custtext6>
<ss:edit source="$extension.extensionText6" size="40"/>
```

```
<:custtext7>
<ss:edit source="$extension.extensionText7" size="40"/>
```

```
<:custtext8>
<ss:edit source="$extension.extensionText8" size="40"/>
```

```
<:custtext9>
<ss:edit source="$extension.extensionText9" size="40"/>
```

```
<:custzip>
```

#### 1: Display Value, customer templates

```
<ss:value source="$customer.postalCode"/>
```

#### 2: Display Value, supplier templates

```
<ss:value source="$edi.customer.postalCode"/>
```

#### 3: Display Value, subscription templates

```
<ss:value source="$subscription.billToPostalCode"/>
```

#### 4: Display value, credit templates

```
<ss:value source="$credit.customer.postalCode"/>
```

#### 5: Display value, invoice templates

```
<ss:value source="$invoice.billToPostalCode"/>
```

```
<:delete>
<input type="submit" name="delete" value="Delete">
```

```
<:edidate>
<ss:value source="$ediSet.date"/>
```

```

<:edigscontrolno>
<ss:value source="$ediSet.ediGsControlNo"/>

<:edigscount>
<ss:value source="$ediSet.ediGsCount"/>

<:ediisacontrolno>
<ss:value source="$ediSet.ediIsaControlNo"/>

<:edipo1count>
<ss:value source="$edi.ediPolCount"/>

<:edipo1lineno>
<ss:value source="$detail.ediPolLineNo"/>

<:edistcontrolno>
<ss:value source="$edi.ediStControlNo"/>

<:edistcount>
<ss:value source="$edi.ediStCount"/>

<:editime>
<ss:value source="$ediSet.time"/>

<:email2>
<ss:edit source="$customer.email2" size="40"/>

<:email>
1: Display Value, customer templates
<ss:value source="$customer.email"/>
2: Form Field, customer templates
<ss:edit source="$customer.email" size="40"/>
3: Form Field, lead templates
<ss:edit source="$lead.email" size="40"/>
4: Display Value, lead templates
<ss:value source="$lead.email"/>
5: Form Field, lost password and login templates
<ss:edit source="$customerRegistry.email"
  value="$customer.email" size="40"/>

<:emailafriend>
<ss:link source="$templateSet.emailAFriend">
  Email A Friend
</ss:link>

<:emailcc>
<ss:edit source="$customer.email2" size="40"/>

<:emptycart>
<ss:if test="$cart.details">
  <ss:link source="$templateSet.cartEmpty">EmptyCart</ss:link>
</ss:if>

<:endloop>
</ss:foreach>

```

```

<:errmsg>
<ss:value source="$message" />

<:expirationdate>
<ss:value source="$subscription.expirationDate"
  format="date.short" default="&nbsp;" />

<:fax2>
1: Display Value, customer templates
<ss:value source="$customer.workFax" />
2: Form Field, customer templates
<ss:edit source="$customer.workFax" size="20" />

<:fax>
1: Display Value, customer templates
<ss:value source="$customer.homeFax" />
2: Form Field, customer templates
<ss:edit source="$customer.homeFax" size="20" />
3: Display Value, lead templates
<ss:edit source="$lead.fax" />
4: Form Field, lead templates
<ss:edit source="$lead.fax" size="20" />

<:filelink>
<ss:link source="$detail">
  <ss:value source="$detail.downloadFileName">
</ss:link>

<:firstname>
1: Display Value, lead templates
<ss:value source="$lead.firstName" />
2: Form Field, lead templates
<ss:edit source="$lead.firstName" size="20" />
3: Display Value, customer templates
<ss:value source="$customer.firstName" />
4: Form Field, lost password and login templates
<ss:edit source="$customerRegistry.firstName" size="20" />
5: Form Field, customer templates
<ss:edit source="$customer.firstName" size="20" />

<:footer>
<ss:include template="footer" />

<:giftwrap>
<ss:if test="$store.gift && $store.wrap">
  <ss:checkbox source="$address.giftWrapEnabled" />
  For an additional <ss:value source="$store.wrapPrice" />
  we can gift wrap your package.
</ss:if>

<:groupbycategory>

```

```

<ss:sortby item="category"/>

<:groupbyoem>
<ss:sortby item="oem"/>

<:groupbyproduct>
<ss:sortby item="product"/>

<:groupbysubcategory>
<ss:sortby item="category"/>

<:header>
<ss:include template="header"/>

<:if <:isaffiliatepresent>>
<ss:if test="$invoice.affiliate">

<:if <:ischeckout>>
<ss:if test="$invoice.invoiceNumber == 0">

<:if <:ispromodiscountpresent>>
<ss:if test="$invoice.promotionDiscount">

<:if <:isshippingamount>>
<ss:if test="$invoice.hasShippingQuotes(">

<:if <:issubscription>>
1: Test to see if subscriptions are enabled for the store
<ss:if test="$product.subscriptionEnabled">
2: Tests to see if the customer has active subscriptions
<ss:if test="$customer.hasActiveSubscriptions">

<:invoiceno>
1: Credit templates
<ss:value source="$credit.invoiceNumber" default="N/A"/>
2: Invoice templates
<ss:value source="$invoice.invoiceNumber"/>
  <ss:if test="$supplier.suffixInd">
    <ss:value source="$supplier.suffix"/>
  </ss:if>
3: Supplier templates
<ss:value source="$edi.invoiceNumber"/>

<:keyword>
1: Form Field
<ss:edit source="$catalog.keyword" size="30"/>
2: Display Value
<ss:value source="$catalog.keyword"/>

<:keywordoption>
<input type="radio" name="keywordoption" value="AND" checked>And
<input type="radio" name="keywordoption" value="OR">Or

```

```
<:lastbilldate>
<ss:value source="$subscription.lastInvoiceDate" format="date.short"/>
```

```
<:lastinvoicedate>
<ss:value source="$subscription.lastInvoiceDate" format="date.short"/>
```

```
<:lastname>
```

1: Display Value, customer templates

```
<ss:value source="$customer.lastName"/>
```

2: Form Field, customer templates

```
<ss:edit source="$customer.lastName" size="20"/>
```

3: Display Value, lead templates

```
<ss:value source="$lead.lastName"/>
```

4: Form Field, lead templates

```
<ss:edit source="$lead.lastName" size="20"/>
```

5: Form Field, lost password and login templates

```
<ss:edit source="$customerRegistry.lastName" size="20"/>
```

```
<:lastrenewdate>
```

```
<ss:value source="$subscription.lastRenewDate" format="date.short"/>
```

```
<:lead>
```

```
<ss:link source="$templateSet.lead">
  <ss:image source="$templateSet.images['lead.gif']"
    border="0" align="bottom"/>
</ss:link>
```

```
<:leadcheck1>
```

1: Display Value

```
<ss:value source="$lead.CustomCheckbox1" format="yesno"/>
```

2: Form Field

```
<ss:checkbox source="$lead.customCheckbox1"/>
```

```
<:leadcheck2>
```

1: Display Value

```
<ss:value source="$lead.CustomCheckbox2" format="yesno"/>
```

2: Form Field

```
<ss:checkbox source="$lead.customCheckbox2"/>
```

```
<:leadcheck3>
```

1: Display Value

```
<ss:value source="$lead.CustomCheckbox3" format="yesno"/>
```

2: Form Field

```
<ss:checkbox source="$lead.customCheckbox3"/>
```

```
<:leadcheck4>
```

1: Display Value

```
<ss:value source="$lead.CustomCheckbox4" format="yesno"/>
```

2: Form Field

```
<ss:checkbox source="$lead.customCheckbox4" />
```

<:leadcheck5>

1: Display Value

```
<ss:value source="$lead.CustomCheckbox5" format="yesno" />
```

2: Form Field

```
<ss:checkbox source="$lead.customCheckbox5" />
```

<:leadcheck6>

1: Display Value

```
<ss:value source="$lead.CustomCheckbox6" format="yesno" />
```

2: Form Field

```
<ss:checkbox source="$lead.customCheckbox6" />
```

<:leadcustom1>

1: Display Value

```
<ss:value source="$lead.CustomText1" />
```

2: Form Field

```
<ss:edit source="$lead.customText1" />
```

<:leadcustom2>

1: Display Value

```
<ss:value source="$lead.CustomText2" />
```

2: Form Field

```
<ss:edit source="$lead.customText2" />
```

<:leadcustom3>

1: Display Value

```
<ss:value source="$lead.CustomText3" />
```

2: Form Field

```
<ss:edit source="$lead.customText3" />
```

<:leadcustom4>

1: Display Value

```
<ss:value source="$lead.CustomText4" />
```

2: Form Field

```
<ss:edit source="$lead.customText4" />
```

<:leadcustom5>

1: Display Value

```
<ss:value source="$lead.CustomText5" />
```

2: Form Field

```
<ss:edit source="$lead.customText5" />
```

<:leadcustom6>

## 1: Display Value

```
<ss:value source="$lead.CustomText6" />
```

## 2: Form Field

```
<ss:textarea source="$lead.customText6" rows="4" cols="35" />
```

```
<:loop=edi>
```

```
<ss:foreach item="edi" within="$ediset.ediRecords">
```

```
<:loop=product>
```

```
<ss:foreach item="detail" within="$invoice.details">
```

```
<:loop=subcategory>
```

```
<ss:foreach item="category"
```

```
  within="$system.emptyCategoryList">
```

```
<:loop=subscription>
```

```
<ss:foreach item="subscription" within="$customer.subscriptions">
```

```
<:loop>
```

### 1: Creates a list of customer invoices

```
<ss:foreach item="detail" within="$customer.accountHistory">
```

### 2: Creates a list of downloadable files

```
<ss:foreach item="invoice" within="$customer.downloadFiles">
```

### 3: Creates a list of search results

```
<ss:foreach item="listing" within="$catalog.results">
```

### 4: Creates a list of details for each item on an invoice

```
<ss:foreach item="detail" within="$invoice.details">
```

### 5: Creates a list of stores purchased by a customer

```
<ss:foreach item="store" within="$store.catalog.stores">
```

### 6: Creates a list of details for each item in a cart

```
<ss:foreach item="detail" within="$cart.details">
```

### 7: Creates a list of store classifications

```
<ss:foreach item="classification"
  within="$store.classifications">
```

### 8: Creates a list of saved carts

```
<ss:foreach item="cart" within="$customer.savedCarts">
```

### 9: Creates a list of relateds

```
<ss:foreach item="product" within="$product.relatedProducts">
```

### 10: Creates a list of items for which the shopper does not have authorization to purchase

```
<ss:foreach item="product" within="$cart.unauthorizedProducts">
```

### 11: Creates a list of details for each item on a supplier template

```
<ss:foreach item="detail" within="$edi.details">
```

### 12: Creates a list of items that are low on inventory

```
<ss:foreach item="product" within="$warehouse.lowInventoryProducts">
```

### 13: Creates a list of credits

```
<ss:foreach item="detail" within="$credit.details">
```

```

<:mallclassificationdescription>
<ss:value source="$classification.description" default="&nbsp;" />

<:mallclassificationlink>
<ss:link source="$classification">
  <ss:value source="$classification.name" />
</ss:link>

<:mallclassificationselect>
<ss:select name="classificationid" source="$store.classifications">
  <option value="" selected></option>
</ss:select>

<:message>
1: Form Field
<ss:edit source="$address.message" size="40" />
2: Display Value
<ss:value source="$message" />

<:messagearea>
1: E-mail a friend templates
<ss:textarea source="$email.message" rows="3" cols="40" />
2: Shipping templates
<ss:textarea source="$address.message" cols="40" rows="3" wrap="virtual" />

<:name>
<ss:link source="$templateSet.customerProfile">
  <ss:value source="$customer.firstName" />
  <ss:value source="$customer.lastName" />
</ss:link>

<:next #>
<ss:link shortcut="ListNext#" />

<:next image#>
<ss:link shortcut="LongImagesUnique" />

<:next image>
<ss:link shortcut="ListPrevNextImages" />

<:next pages>
<ss:link shortcut="ListNext#" />

<:next>
<ss:link shortcut="ListNext" />

<:nextbilldate>
<ss:value source="$subscription.nextBillDate" format="date.short" />

<:noshippingamount>
<ss:value source="$invoice.shipping" />

<:notify>
<ss:value source="$customer.notify" format="yesno" />
  <ss:checkbox source="$customer.notify" />

<:oem>

```

1: Display Value, catalog list templates

```
<ss:if test="$store.name AND $listing.oem">
  <ss:value source="$listing.oem.name" />
<ss:else/>
  <ss:value source="$product.oem.name" />
</ss:if>
```

2: Form Field, catalog templates

```
<ss:edit source="$catalog.oem" size="30" />
```

3: Display Value, catalog detail templates

```
<ss:value source="$product.oem" />
```

```
<:oemlist>
<ss:select name="oem" source="$catalog.oemList">
  <option value="all" selected>All</option>
</ss:select>
```

```
<:oemlogo link>
<a href="http://$product.oem.url">
  <ss:image source="$product.oem.logo" border="0" />
</a>
```

```
<:oemlogo>
<ss:image source="$product.oem.logo" />
```

```
<:oemurl link>
<a href="http://$product.oem.url">
  <ss:value source="$product.oem.url" />
</a>
```

```
<:oemurl>
<ss:value source="$product.oem.url" />
```

```
<:orderamount>
```

1: Apply special formatting if this is a credit amount

```
<ss:if test="$detail.credit">
  <font color="red">
    <ss:value source="$detail.transactionAmount" />
  </font>
<ss:else/>
  <ss:value source="$detail.transactionAmount" />
</ss:if>
```

2: No special formatting

```
<ss:value source="$detail.transactionAmount" />
```

```
<:ordercredit>
<ss:value source="$invoice.credit" />
```

```
<:orderdate>
```

1: Link, invoice templates

```
<ss:link source="$detail">
  <ss:value source="$detail.date" format="date.short" />
</ss:link>
```

2: Value, invoice templates

```
<ss:value source="$invoice.enterDate" format="date.short" />
```

3: Value, supplier templates

```

<ss:value source="$edi.enterDate" format="yyyyMMdd"/>

<:ordergift>
<ss:if test="$invoice.message">
  Message:
  <ss:value source="$invoice.message"/>
</ss:if>

<:ordermethod>
1: Billing templates
<ss:value source="$paymentMethod.PaymentMethod"
  default="&nbsp;"/>
2: Customer templates
<ss:value source="$customer.PaymentMethod"/>
3: Invoice templates
<ss:value source="$invoice.paymentMethod"/>

<:orderno>
<ss:value source="$detail.itemNumber" default="&nbsp;"/>

<:ordernote>
<ss:value source="$invoice.orderNote"/>

<:orderpono>
<ss:value source="$invoice.purchaseOrderNumber"/>

<:orderpromo>
<ss:value source="$invoice.promotionCode"/>

<:orderpromodiscount>
<ss:value source="$invoice.promotionDiscount"/>

<:orderpromotext>
<ss:foreach item="promotion" within="$invoice.promotions">
  <ss:value source="$promotion.invoiceText"/>
  <br/>
</ss:if>

<:ordersalestax>
<ss:value source="$invoice.tax"/>

<:ordershipdate>
<ss:value source="$invoice.shipDate" default="&nbsp;"
  format="date.short"/>

<:ordershipmethod>
<ss:value source="$invoice.shipMethodDescription"
  default="&nbsp;"/>

<:ordershipping>
<ss:value source="$invoice.shipping"/>

<:ordershiptrack>
<ss:value source="$invoice.shipTrackNumber.number"/>

<:orderstatus>
1: History and tracking templates

```

```

<ss:value source="$detail.status" default="&nbsp;"/>
2: Invoice templates
<ss:value source="$invoice.status"/>

<:ordersubtotal>
<ss:value source="$invoice.subtotal"/>

<:ordertotal>
1: Subscription templates
<ss:value source="$subscription.price"/>
2: Invoice templates
<ss:value source="$invoice.total"/>

<:ordertotaldue>
1: Invoice templates
<ss:value source="$invoice.totalDue"/>
2: Subscription templates
<ss:value source="$subscription.price"/>

<:ordertrackingno>
<ss:value source="$invoice.tracking" default="&nbsp;"/>

<:ordertype>
<ss:value source="$detail.activity"/>

<:page=FILENAME.EXT+LINK TEXT>
<ss:link source="$store.files['FILENAME.EXT']">LINK TEXT</ss:link>

<:pager>
1: Display Value, customer templates
<ss:value source="$customer.pager"/>
2: Form Field, customer templates
<ss:edit source="$customer.pager" size="20"/>

<:password2>
<input type="password" name="confirm" size="10">

<:password>
1: Display Value
<ss:value source="$customer.password"/>
2: Form Field
<ss:password source="$customerRegistry.password" size="10"/>

<:paymentmethod>
<ss:value source="$subscription.paymentMethod"/>

<:phone2>
1: Display Value, customer templates
<ss:value source="$customer.workPhone"/>
2: Form Field, customer templates

```

```

<ss:edit source="$customer.workPhone" size="20"/>

<:phone3>
1: Display Value, customer templates
<ss:value source="$customer.mobilePhone"/>
2: Form Field, customer templates
<ss:edit source="$customer.mobilePhone" size="20"/>

<:phone>
1: Display Value, customer templates
<ss:value source="$customer.homePhone"/>
2: Form Field, customer templates
<ss:edit source="$customer.homePhone" size="20"/>
3: Display Value, lead templates
<ss:value source="$lead.phone"/>
4: Form Field, lead templates
<ss:edit source="$lead.phone" size="20"/>

<:polimit>
<ss:edit source="$customer.orderLimit"/>

<:product alink>
<ss:link shortcut="AnchorLink" name="$product.productNumber">
  <ss:value source="$product.name"/>
</ss:link>

<:product aname>
<ss:link shortcut="AnchorName" name="$product.productNumber"/>

<:product nolink>
1: Display Value
<ss:value source="$product.name"/>
2: Display Value
<ss:value source="$detail.product.name"/>

<:product>
1: Display Value, catalog detail templates
<ss:value source="$product.name"/>
2: Link, catalog list templates
<ss:link source="$product">
  <ss:value source="$product.name"/>
</ss:link>
3: Form Field, catalog templates
<ss:edit source="$catalog.product" size="30"/>
4: Display Value, invoice templates
<ss:value source="$detail.product.name"/>
5: Display Value, subscription templates
<ss:value source="$subscription.product.name"/>

```

```
<:productattr>
1: Invoice templates
<ss:value source="$detail.attributeText"/>
2: Subscription templates
<ss:value source="$subscription.attributeText"/>

<:productbackorder>
<ss:if test="$detail.isbackordered"><b>Backordered</b></ss:if>

<:productbrief>
<ss:value source="$product.brief"/>

<:productcost>
1: Catalog detail templates
<ss:value source="$product.cost"/>
2: Invoice templates
<ss:value source="$detail.product.cost"/>

<:productcustom1>
<ss:value source="$product.customText1"/>

<:productcustom2>
<ss:value source="$product.customText2"/>

<:productcustom3>
<ss:value source="$product.customText3"/>

<:productcustom4>
<ss:value source="$product.customText4"/>

<:productcustom5>
<ss:value source="$product.customText5"/>

<:productcustom6>
<ss:value source="$product.customText6"/>

<:productdesc>
<ss:value source="$product.description"/>

<:productno>
1: Subscription Templates
<ss:value source="$subscription.product.productNumber"/>
2: Catalog list templates
<ss:value source="$detail.product.productNumber"/>
3: Catalog detail templates
<ss:value source="$product.productNumber"/>

<:productoem>
<ss:value source="$product.oem"/>

<:productshipping>
<ss:value source="$product.shippingCost"/>
```

```

<:productphoto LEFT/RIGHT>
<ss:image source="$product.photoImage"
  align="LEFT/RIGHT" border="0"/>

<:productphoto>
<ss:image source="$product.photoImage" border="0"/>

<:productphotocart>
<ss:image source="$catalog.images[$detail.product.thumbnailImageName]"
  width="25" height="25"/>

<:productprice>
1: Catalog detail templates
<ss:include macro="productprice"/>
2: Catalog list, invoice templates
<ss:include macro="productprice" "/>
3: Subscription templates
<ss:value source="$subscription.price"/>

<:productpriceretail>
<ss:value source="$detail.product.retailPrice"/>

<:productpricesale>
<ss:value source="$product.finalPrice"/>

<:productpricesavings format=percent fractiondigits=XX>
<ss:value source="$product.priceSavingsPercent" format="%XX"/>

<:productpricesavings format=percent>
<ss:value source="$product.priceSavingsPercent" format="percent"/>

<:productpricesavings>
1: Catalog detail templates
<ss:value source="$product.priceSavingsCurrency"/>
2: Invoice, catalog list templates
<ss:value source="$detail.product.priceSavingsCurrency"/>

<:productpricex>
<ss:include macro="attributedetailfull"/>

<:productqty>
<ss:value source="$detail.quantity"/>

<:productquantity>
1: Subscription templates
<ss:value source="$subscription.quantity"/>
2: Catalog detail, Catalog List templates
<ss:value source="$product.quantityInStock"/>
3: Form field, cart template
<ss:edit source="$detail.quantity" name="qty" size="4"/>

<:productretail>

```

```

<ss:value source="$product.retailPrice"/>

<:productsaleend>
<ss:if test="$product.onSale">
  Sale Ends: <ss:value source="$product.saleEndDate"
    format="date.short"/>
</ss:if>

<:productsku>
1: Catalog list templates
<ss:value source="$detail.sku"/>
2: Invoice templates
<ss:value source="$detail.productInfo.sku"/>
3: Catalog detail templates
<ss:value source="$product.sku"/>

<:productstock>
1: Catalog list templates
<ss:if test="$detail.product.quantityInStock">
  In Stock
<ss:else/>
  Backordered
</ss:if>
2: Catalog detail templates
<ss:if test="$product.quantityInStock">
  In Stock
<ss:else/>
  Backordered
</ss:if>

<:productstockattr>
<ss:foreach item="attr" within="$product.attributes">
  <ss:value source="$attr.size"/>
  (<ss:value source="$attr.quantityInStock"/>),
</ss:foreach>

<:productstockback>
<ss:if test="$product.quantityInStock < 0">Backordered</ss:if>

<:productstockimage>
<ss:if test="$product.quantityInStock">
  <ss:image source="$templateSet.images['instock.gif']"
    border="0"/>
</ss:if>

<:productstockqty>
<ss:value source="$product.quantityInStock"/>

<:productstockyesno>
<ss:value source="$product.quantityInStock" format="yesno"/>

<:productsurcharge>
<ss:value source="$product.surcharge"/>

<:productsurargetitle>
<ss:value source="$product.surchargeTitle"/>

```

```
<:productthumbnail link>
<ss:link source="$product.photoImage">
  <ss:image source="$catalog.images[$product.thumbnailImageName]"
    border="0"/>
</ss:link>
```

```
<:productthumbnail nolink>
<ss:image source="$catalog.images[$product.thumbnailImageName]"
  border="0"/>
```

```
<:productthumbnail>
<ss:link source="$product">
  <ss:image source="$product.thumbnailImage" border="0"/>
</ss:link>
```

```
<:producttotal>
<ss:value source="$detail.total"/>
```

```
<:productunit>
1: Catalog detail templates
<ss:value source="$product.unitOfMeasure"/>
2: Invoice, catalog list templates
<ss:value source="$product.unitOfMeasure"/>
```

```
<:productweight>
1: Invoice, catalog list templates
<ss:value source="$detail.product.weightText"/>
2: Catalog detail templates
<ss:value source="$product.weight"/>
```

```
<:promo>
<input type="text" name="promo" value="" size="10"/>
```

```
<:purchasedate>
1: Link
<ss:link source="$url.buildUrl('CustomerSubscription')">
  <ss:param name="subscription"
    value="$subscription.subscriptionNumber"/>
  <ss:value source="$subscription.purchaseDate"
    format="date.short"/>
</ss:link>
2: Display Value
<ss:value source="$subscription.purchaseDate" format="date.short"/>
```

```
<:recipient>
1: Invoice templates
<ss:edit source="$address.recipient" size="40"/>
2: E-mail a friend templates
<ss:edit source="$email.recipientName"/>
```

```
<:recipientemail>
1: E-mail a friend templates
<ss:edit source="$email.recipientEmail"/>
```

## 2: Invoice templates

```
<ss:edit source="$email.recipientEmail"/>
```

```
<:referer>
```

```
<ss:link source="$templateSet.searchResults">  
  Return To Catalog  
</ss:link>
```

```
<:related>
```

```
<ss:if test="$product.hasRelateds">  
  <ss:include template="catalogrelated"/>  
</ss:if>
```

```
<:resale>
```

### 1: Display Value, customer templates

```
<ss:value source="$customer.resale"/>
```

### 2: Form Field, customer templates

```
<ss:edit source="$customer.resale" size="20"/>
```

```
<:resaleind>
```

```
<ss:checkbox source="resale"/>
```

```
<:reset>
```

```
<input type="reset" value="Clear">
```

```
<:searchend>
```

```
<ss:value source="$catalog.end"/>
```

```
<:searchstart>
```

```
<ss:value source="$catalog.start"/>
```

```
<:searchstorecriteria>
```

```
<ss:value source="$storecatalog.searchCriteria" default="All"/>
```

```
<:searchstorename>
```

```
<ss:link shortcut="MallStoreLink">  
  <ss:value source="$store.name"/>  
</ss:link>
```

```
<:searchtext>
```

```
<ss:value source="$catalog.searchtext" default="All"/>
```

```
<:searchtotal>
```

```
<ss:value source="$catalog.total"/>
```

```
<:selectshipping>
```

```
<ss:include template="selectshipping"/>
```

```
<:shipmethod>
```

```
<ss:value source="$invoice.shipMethodDescription"/>
```

```
<:shipnextday>
```

```
<input type="radio" name="shipme" value="N"/>  
<ss:value source="$store.shipping.getServiceDescription('N')"/>
```

```
<:shipnextdayrate>
```

```
<ss:value source="$cart.getShipping('N')"/>
```

```

<:shipping>
<ss:value source="$cart.shipping" default="0"/>

<:shippingquotes>
<ss:foreach item="quote" within="$invoice.shippingQuotes">
  <ss:if test="$invoice.shipMethod == $quote.shipMethod">
    <option value="$quote.value" selected>
  <ss:else/>
    <option value="$quote.value">
      <ss:value source="$quote.name"/>:
      <ss:value source="$quote.amount"/>
    </option>

<:shipstandard>
<input type="radio" name="shipme" value="S" checked/>
<ss:value source="$store.shipping.getServiceDescription('S')"/>

<:shipstandardrate>
<ss:value source="$cart.getShipping('S')"/>

<:shipto>
<ss:checkbox shortcut="ChangeShippingAddress"/>

<:shiptocity>
1: Display Value
<ss:value source="$invoice.shipToCity"/>
2: Display Value, subscription templates
<ss:value source="$subscription.shipToCity"/>

<:shiptocompany>
1: Display Value
<ss:value source="$invoice.company"/>
2:
<ss:value source="$invoice.company" default="&nbsp;"/>

<:shiptocountry option=full>
1: Invoice templates
<ss:value source="$invoice.shipToCountry.name"/>
2: Subscription templates
<ss:value source="$subscription.shipToCountry.name"/>

<:shiptocountry>
1: Display Value, subscription templates
<ss:value source="$subscription.shipToCountry"/>
2: Display Value
<ss:value source="$invoice.shipToCountry"/>

<:shiptoname>
1: Subscription templates
<ss:value source="$subscription.recipient"/>
2: Invoice templates

```

```

<ss:value source="$invoice.recipient" />

<:shiptophone>
1: Subscription templates
<ss:value source="$subscription.phone" />
2: Invoice templates
<ss:value source="$invoice.phone" />

<:shiptostate>
1: Subscription templates
<ss:value source="$subscription.shipToState" />
2: Invoice templates
<ss:value source="$invoice.shipToState" />

<:shiptostreet2>
<ss:value source="$invoice.shipToStreet2" />

<:shiptostreet>
1: Subscription templates
<ss:value source="$subscription.shipToStreet" />
<ss:if test="$subscription.shipToStreet2">
  <br/><ss:value source="$subscription.shipToStreet2" />
</ss:if>
2: Invoice templates
<ss:value source="$invoice.shipToStreet" />
<ss:if test="$invoice.street2">
  <br/><ss:value source="$invoice.street2" />
</ss:if>

<:shiptozip>
1: Display Value, subscription templates
<ss:value source="$subscription.shipToPostalCode" />
2: Display Value
<ss:value source="$invoice.shipToPostalCode" />

<:shiptwoday>
<input type="radio" name="shipme" value="2" />
<ss:value source="$store.shipping.getServiceDescription('2')" />

<:shiptwodayrate>
<ss:value source="$cart.getShipping('2')" />

<:sortorder primary="ITEM" >
<ss:sortBy item="ITEM" />

<:sortorder secondary="ITEM" >
<ss:sortBy item="ITEM" />

<:sortorder tertiary="ITEM" >
<ss:sortBy item="ITEM" />

<:state>

```

1: Form Field, invoice templates

```
<ss:edit source="$address.state" size="10"/>
```

2: Form Field, lead templates

```
<ss:edit source="$lead.state" size="10"/>
```

3: Display Value, lead templates

```
<ss:edit source="$lead.state"/>
```

4: Display Value, customer templates

```
<ss:value source="$customer.state"/>
```

5: Form Field, customer templates

```
<ss:edit source="$customer.state" size="10"/>
```

```
<:statelist country="COUNTRY" default="DEFAULT" >
```

1: Customer, Checkout templates

```
<ss:select source="$system.states('COUNTRY')"  
  name="$customer.state" selected="DEFAULT"/>
```

2: Ship To templates

```
<ss:select source="$system.states('COUNTRY')"  
  name="$address.state" selected="DEFAULT"/>
```

3: Lead templates.

```
<ss:select source="$system.states('COUNTRY')"  
  name="$lead.state" selected="DEFAULT"/>
```

```
<:statelist country="COUNTRY" >
```

1: Customer, Checkout templates

```
<ss:select source="$system.states('COUNTRY')"  
  name="$customer.state"/>
```

2: Ship To templates

```
<ss:select source="$system.states('COUNTRY')"  
  name="$address.state"/>
```

3: Lead templates.

```
<ss:select source="$system.states('COUNTRY')"  
  name="$lead.state"/>
```

```
<:status>
```

```
<ss:value source="$subscription.status"/>
```

```
<:storelist>
```

```
<ss:select source="$customer.stores()" name="custom1"/>  
  <option value="Select Store" selected>--Select Store--</option>  
</ss:select>
```

```
<:storesaletext>
```

```
<ss:foreach item="promotion"  
  within="$store.activeStorePromotions">  
  <ss:if test="$store.isValidPromotion($promotion)">  
    <ss:value source="$promotion.invoiceText"/><br>  
  </ss:if>  
</ss:foreach>
```

```
<:street1>
```

1: Display Value, customer templates

```
<ss:value source="$customer.street"/>
```

2: Form Field, customer templates

```
<ss:edit source="$customer.street" size="30"/>
```

3: Form Field, lead templates

```
<ss:edit source="$lead.street" size="30"/>
```

4: Form Field, invoice templates

```
<ss:edit source="$address.street" size="30"/>
```

```
<:street2>
```

1: Display Value, customer templates

```
<ss:value source="$customer.street2"/>
```

2: Form Field, customer templates

```
<ss:edit source="$customer.street2" size="30"/>
```

3: Form Field, invoice templates

```
<ss:edit source="$address.street2" size="30"/>
```

4: Display Value, lead templates

```
<ss:value source="$lead.street2"/>
```

5: Form Field, lead templates

```
<ss:edit source="$lead.street2" size="30"/>
```

```
<:street>
```

1: Display Value, lead templates

```
<ss:value source="$lead.Street"/>
```

2: Display Value, customer templates

```
<ss:value source="$customer.street"/>
```

3: Form Field, customer templates

```
<ss:edit source="$customer.street" size="30"/>
```

```
<:subcategory>
```

1: Display Value

```
<ss:value source="$listing.name"/>
```

2: Link

```
<ss:link source="$url.buildUrl('Search')">  
  <ss:param name="category" value="$category.parentChainDisplay"/>  
  <ss:value source="$category.name"/>  
</ss:link>
```

```
<:subject>
```

```
<ss:emailheader>  
  Enter Text Here  
</ss:emailheader>
```

```
<:submit>
```

1: Subscription templates

```
<ss:form shortcut="SubmitSubscription"/>
```

2: All other templates

```
<input type="submit" name="submit" value="Submit">
```

### 3: Catalog Detail template

```
<input type="submit" name="submit" value="Add to Shopping Cart">
```

```
<:subscribe>  
<input type="submit" value="Subscribe">
```

```
<:subscriptionbillnote>  
<ss:foreach item="subscription" within="$invoice.subscription"/>  
  <p><ss:value source="$subscription.billNote"/></p>  
</ss:foreach>
```

```
<:subscriptionno>  
<ss:value source="$subscription.subscriptionNumber"/>
```

```
<:subscriptionperiod>
```

### 1: Subscription templates

```
<ss:value source="$subscription.subscriptionPeriodText" default="&nbsp;" />
```

### 2: Catalog detail templates

```
<ss:if test="$product.subscriptionEnabled">  
  <ss:select source="$product.subscriptions" name="productattr" />  
</ss:if>
```

```
<:subtotal>  
<ss:value source="$cart.subtotal" default="0" />
```

```
<:supplier>  
<ss:value source="$supplier.name" />
```

```
<:supplercity>  
<ss:value source="$supplier.city" />
```

```
<:suppleredicode>  
<ss:value source="$supplier.ediCode" />
```

```
<:supplierstate>  
<ss:value source="$supplier.state" />
```

```
<:supplierstreet>  
<ss:value source="$supplier.street" />
```

```
<:supplierzip>  
<ss:value source="$supplier.postalCode" />
```

```
<:taxcounty>  
<ss:select source="$system.  
  taxCounties($address.country, $address.postalCode)" name="county" />
```

```
<:taxregionlist>  
<ss:select name="taxregion" source="$store.taxRegionsSelect"  
  selected="$customer.defaultTaxCode" />
```

```
<:taxregionselect>  
<ss:include template="TaxRegionSelect" />
```

```
<:total>  
<ss:value source="$cart.total" default="0" />
```

```
<:totalextensions>
```

```
<ss:value source="$extension.total">

<:tracking>
<ss:form shortcut="Tracking"/>

<:trigger>
<input type="hidden" name="trigger-post" value="VALUE">

<:worldpay name="OPTION">
<ss:value source="$worldpay.OPTION"/>

<:zip>
1: Form Field, lead templates
<ss:edit source="$lead.postalCode" size="10"/>
2: Display Value, lead templates
<ss:value source="$lead.postalCode"/>
3: Form Field, invoice templates
<ss:edit source="$address.postalCode" size="10"/>
4: Display Value, customer templates
<ss:value source="$customer.postalCode"/>
5: Form Field, customer templates
<ss:edit source="$customer.postalCode" size="10"/>
```